AUTHOR INDEX

Ahmad, I., 289
Ahmed, F., 279
Ambrosone, G., 41
Anderson, W. A., 315
Appelbaum, J., 201
Araújo, G. L., 1

Banerjee, S., 315
Bany, J., 201
Barnett, A. M., 59, 187, 261
Basavaswaran, K., 323
Böhm, M., 155, 187
Büget, U., 81

Call, R. L., 119
Catalanotti, S., 41
Chenlo, F., 27
Chu, S. S., 237
Chu, T. L., 237
Cid, M., 27
Coscia, U., 41

Decker, F., 19
Delahoy, A. E., 155
DeMoulin, P. D., 229
De Visschere, P., 91
Dhariwal, S. R., 253
Douglas, K. D., 177
Dugas, J., 145, 167

Firouzi, H., 237
Fracastoro-Decker, M., 19

Garg, S., 279
Geoffroy, L. M., 333
Godlewski, M. P., 245
Gordon, J. M., 295
Guekos, G., 65
Guerassimov, A. L., 99

Hamakawa, Y., 127
Hamdy, M. A., 119
Heinämäki, A., 65
Honsberg, C., 59

Kafedjiiska, E. I., 99
Kaur, R., 279
Keavney, C. J., 333
Kiss, Z., 155

Lundstrom, M. S., 229

Malik, N. A., 289
Mathur, R. K., 253
Miyake, Y., 127
Moro, J. R., 19
Motisuke, P., 19
Mueller, E. H., 261

Nakanishi, Y., 127
Naseem, S., 289
Nowlan, M. J., 333

Öktü, Ö., 81
Oualid, J., 145, 167
Özdemir, S., 81

Polman, A., 51

Sánchez, E., 1
Saris, F. W., 51
Sassi, G., 13
Schwartz, R. J., 229
Sharon, M., 323
Shimokawa, R., 127
Simeonov, S. S., 99
Sinke, W., 51
Spitzer, M. B., 333
Suleman, M., 289

Tandon, J. L., 177
Troise, G., 41

Urbanski, E., 155

Weizer, V. G., 245

© Elsevier Sequoia/Printed in The Netherlands

SUBJECT INDEX

Aging
study of aging effects in $In_2O_3/SiO_2/Si$ solar cells using Auger electron spectroscopy, 289
Analysis techniques
light emission as a solar cell analysis technique, 59
Angle of incident radiation
solar cell short-circuit current dependence on the angle of the incident radiation, 65
Auger electron spectroscopy
study of aging effects in $In_2O_3/SiO_2/Si$ solar cells using Auger electron spectroscopy, 289

Back-surface field
back-surface field design for n^+p GaAs cells, 229
Base collection efficiency
calculation of the base collection efficiency in mono- and polycrystalline solar cells by separation of variables, 91
Base doping concentration
modelling of base doping concentration influence in polycrystalline Si solar cells, 145

Cascade solar cells
cascade solar cell structures: an alternative design, 13
Chemical vapor deposition
thin film GaAs solar cells on Ga-coated Si substrates by chemical vapor deposition, 237
Collectors
effect of shading on the design of a field of solar collectors, 201
Concentrator photovoltaic modules
linear concentrator photovoltaic module: analysis of non-uniform illumination and temperature effects on efficiency, 27
Current–voltage characteristics
temperature dependence of dark and illuminated current–voltage characteristics of grating-type min MIS Si solar cells, 81

Damage
optimized structure of a three-level photovoltaic sub-array to prevent damage due to failed cells, 41
Diffuse irradiance
global radiation model and angular distribution of the diffuse irradiance, 127
Diffusion constant
theory for the simultaneous determination of the minority carrier lifetime, diffusion length and diffusion constant in a semiconducting medium using a modulated light beam, 279
Diffusion length
model of the dependence of photovoltaic properties on effective diffusion length in polycrystalline Si, 167
theory for the simultaneous determination of the minority carrier lifetime, diffusion length and diffusion constant in a semiconducting medium using a modulated light beam, 279
Diode ideality factor
effect of the diode ideality factor on the experimental determination of series resistance of solar cells, 119

Efficiency
improved energy conversion efficiency of GaAs solar cells for space based on multilayer top contacts, 261
linear concentrator photovoltaic module: analysis of non-uniform illumination and temperature effects on efficiency, 27
on the analytical determination of solar cell fill factor and efficiency, 1
performance improvements in Si flat-plate cells and modules, 333
quantum efficiency of the photocurrent in Schottky barrier structures, 99
25.5% AM 0 GaAs grating solar cell, 245

© Elsevier Sequoia/Printed in The Netherlands

Excimer laser annealing
comparison between excimer laser and thermal annealing for ion-implanted polycrystalline Si solar cells, 51

Failed cells
optimized structure of a three-level photovoltaic sub-array to prevent damage due to failed cells, 41
Fill factor
on the analytical determination of solar cell fill factor and efficiency, 1
Flat-plate cells
performance improvements in Si flat-plate cells and modules, 333

Gallium
thin film GaAs solar cells on Ga-coated Si substrates by chemical vapor deposition, 237
Gallium arsenide
back-surface field design for n^+p GaAs cells, 229
improved energy conversion efficiency of GaAs solar cells for space based on multilayer top contacts, 261
origin of the shunt effect in polycrystalline GaAs p–n-junction devices, 187
thin film GaAs solar cells on Ga-coated Si substrates by chemical vapor deposition, 237
25.5% AM 0 GaAs grating solar cell, 245
Global radiation model
global radiation model and angular distribution of the diffuse irradiance, 127
Grating cells
temperature dependence of dark and illuminated current–voltage characteristics of grating-type min MIS Si solar cells, 81
25.5% AM 0 GaAs grating solar cell, 245

Illumination
effect of partial illumination on the open-circuit voltage of a solar cell, 253
linear concentrator photovoltaic module: analysis of non-uniform illumination and temperature effects on efficiency, 27

$In_2O_3/SiO_2/Si$ cells
study of aging effects in $In_2O_3/SiO_2/Si$ solar cells using Auger electron spectroscopy, 289
Irradiation
electron irradiation effects on the shunt resistance of Si solar cells, 315

Light emission
light emission as a solar cell analysis technique, 59

min MIS cells
temperature dependence of dark and illuminated current–voltage characteristics of grating-type min MIS Si solar cells, 81
Minority carrier lifetime
theory for the simultaneous determination of the minority carrier lifetime, diffusion length and diffusion constant in a semiconducting medium using a modulated light beam, 279
Modulated light beam
theory for the simultaneous determination of the minority carrier lifetime, diffusion length and diffusion constant in a semiconducting medium using a modulated light beam, 279
Multilayer top contacts
improved energy conversion efficiency of GaAs solar cells for space based on multilayer top contacts, 261

Open-circuit voltage
effect of partial illumination on the open-circuit voltage of a solar cell, 253
Optical losses
optical losses in solar photoelectrochemical cells, 19

Photoelectrochemical cells
optical losses in solar photoelectrochemical cells, 19
Photoelectrochemical studies
photoelectrochemical studies on p-SnSe electrodes, 323
Photocurrent
quantum efficiency of the photocurrent in Schottky barrier structures, 99

p-SnSe electrodes
photoelectrochemical studies on p-SnSe electrodes, 323

Schottky barriers
quantum efficiency of the photocurrent in Schottky barrier structures, 99
Screen-printed devices
screen-printed particulate Si devices for photovoltaic applications, 155
Separation of variables
calculation of the base collection efficiency in mono- and polycrystalline solar cells by separation of variables, 91
Series resistance
effect of the diode ideality factor on the experimental determination of series resistance of solar cells, 119
Shading
effect of partial illumination on the open-circuit voltage of a solar cell, 253
effect of shading on the design of a field of solar collectors, 201
linear concentrator photovoltaic module: analysis of non-uniform illumination and temperature effects on efficiency, 27
Short-circuit current
solar cell short-circuit current dependence on the angle of the incident radiation, 65
Shunt effect
on the origin of the shunt effect in polycrystalline GaAs p–n-junction devices, 187
Shunt resistance
electron irradiation effects on the shunt resistance of Si solar cells, 315
Silicon
comparison between excimer laser and thermal annealing for ion-implanted polycrystalline Si solar cells, 51
electron irradiation effects on the shunt resistance of Si solar cells, 315
modelling of base doping concentration influence in polycrystalline Si solar cells, 145
model of the dependence of photovoltaic properties on effective diffusion length in polycrystalline Si, 167
performance improvements in Si flat-plate cells and modules, 333
screen-printed particulate Si devices for photovoltaic applications, 155
stable Si solar cells with high temperature survivability, 177
study of aging effects in $In_2O_3/SiO_2/Si$ solar cells using Auger electron spectroscopy, 289
temperature dependence of dark and illuminated current–voltage characteristics of grating-type min MIS Si solar cells, 81
thin film GaAs solar cells on Ga-coated Si substrates by chemical vapor deposition, 237
Sizing
optimal sizing of stand-alone photovoltaic solar power systems, 295
Stand-alone systems
optimal sizing of stand-alone photovoltaic solar power systems, 295

Temperature
linear concentrator photovoltaic module: analysis of non-uniform illumination and temperature effects on efficiency, 27
stable Si solar cells with high temperature survivability, 177
temperature dependence of dark and illuminated current–voltage characteristics of grating-type min MIS Si solar cells, 81
Thermal annealing
comparison between excimer laser and thermal annealing for ion-implanted polycrystalline Si solar cells, 51
Three-level photovoltaic sub-array
optimized structure of a three-level photovoltaic sub-array to prevent damage due to failed cells, 41